

# Tablet PC TP7-1000DC



## Deutsch

- Bildschirm: 7" G+P kapazitiver 5-point Touchscreen, Anzeige-Verhältnis: 16:9
- Bedienmethode: Tasten + Touchscreen
- Gehäuse: Metall
- Auflösung: 1024 x 600 Pixels
- Chipsatz: Info TM X15 Dual Core Cortex A5 1 GHz
- RAM: 1 GB DDR III
- Betriebssystem: Andriod 4.1.1
- Kamera: Front: 0,3 Megapixel, Back: 2 Megapixel
- Wi-Fi: integriert, 802.11 b/g/n
- Videoformate: AVI, MKV, MP4, FLV, RMVB, MPG, WMV
- Audioformate: MP3, AMR, APE, FLAC, AAC, WAV
- Fotoformate: BMP, PNG, JPG, GIF
- Spiele: Angry Birds, Fruit Ninja, Temple Run, 3D games etc.
- Weitere Funktionen: Wörterbuch, Taschenrechner, Kalender und weitere Android-Applikationen
- Unterstützte Betriebssysteme: ab Windows XP/Linux 2.4/MAC OS 10.4
- HDMI Anschluss: 1080p
- USB: Micro USB 2.0, High Speed OTG
- Sprache: Mehrsprachunterstützung
- Eingebaute Batterie: Li-polymer aufladbare Batterie 1750 mAh, 3,7 V
- AC/DC: AC 110~240V 50/60Hz; DC 5 V/2 A
- Lautsprecher: 1x 1 W, 8 Ohm
- G-Sensor: 360 Grad
- Flashspeicher: 8 GB (intern)
- Micro SD/SDHC Kartenspeicher: bis zu 32 GB (bei Nutzung von CnMemory® Karten)
- Maße: ca. 189 x 114 x 9,5 mm
- Gewicht: ca. 276 g
- Farbe: dunkel grau, cafe crema, soft purple, ice blue
- Standardzubehör: Ladegerät, Adapterkabel von Micro USB auf USB-A (Standard) zum Anschluss herkömmlicher USB Geräte an das Tablet PC (z.B. USB Stick), Bedienungsanleitung, Garantiekarte
- Artikel Nr.: 25030-33

# Tablet PC TP7-1000DC



## English

- Display: 7" G+P capacitive 5-point touch-screen, display ratio: 16:9
- Play method: button + touch-screen
- Casing material: metal
- Resolution: 1024 x 600 pixels
- Chipset: Info TM X15 Dual Core Cortex A5 1 GHz
- RAM: 1 GB DDR III
- Operating System: Andriod 4.1.1
- Camera: front: 0.3 mega pixel, back: 2 mega pixel
- Wi-Fi: built-in, 80 2.11 b/g/n
- Video format: AVI, MKV, MP4, FLV, RMVB, MPG, WMV
- Audio format: MP3, AMR, APE, FLAC, AAC, WAV
- Photo format: BMP, PNG, JPG, GIF
- Games: Angry Birds, Fruit Ninja, Temple Run, 3D games etc.
- Other functions: dictionary, calculator, calendar and other Android apks.
- Supported computer system: from Windows XP/Linux 2.4/MAC OS 10.4
- HDMI: 1080p
- USB: Micro USB 2.0, High Speed OTG
- Language: supports multi languages
- Built-in battery: Li-polymer rechargeable battery 1750 mAh, 3.7 V
- AC/DC: AC 110~240V 50/60Hz; DC 5 V/2 A
- Sound system: 1x 1 W, 8 Ohm
- G-Sensor: 360 degrees
- Flash Memory: 8 GB (internal)
- Micro SD/SDHC card slot: up to 32 GB (by using of CnMemory® cards)
- Dimension: ca. 189 x 114 x 9.5 mm
- Weight: ca. 276 g
- Colour: dark grey, cafe crema, soft purple, ice blue
- Standard accessories: charger, adapter from micro USB to USB-A (standard) to connect conventionally devices to your tablet PC (e.g. USB Stick), user manual, warranty card
- Item No.: 25030-33

# Tablet PC TP7-1500DC-metal



## Deutsch

- Bildschirm: 7 Zoll, G + G kapazitives **5-point IPS** Touchscreen
- Bedienmethode: Tasten + Touchscreen
- Gehäuse: Metall
- Auflösung: 1024 × 600 Pixel
- Chipsatz: RK3066
- Prozessor: ARM Cortex A9 Dual Core bis zu 1,5 GHz
- GPU: Mali400 Quad Core, Open GL/Open VG
- RAM: DDR III/LVDDR3/LPDDR/LPDDR2, 1GB
- Betriebssystem: Android 4.1, unterstützt Flash 11.1
- Kamera: Front: 0,3 Megapixel, Back: 2 Megapixel
- Wi-Fi: integriert, 802.11 b/g/n
- Videoformat: MPEG-1,-2,-4, H.263, H.264, AVS, VC-1, RV, VP6/VP8, Sorenson Spark, MVC 1920 x 1080p 60FPS etc.
- Videoenkodierung: H.264, VP8 and MVC (1080p)
- Audioformat: MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, AAC, M4A, 3GP mit EQ-Funktion
- Fotoformat: JPG, JPEG, BMP, GIF, PNG, JFIF in 8176 x 8176 maximale Auflösung
- E-Book Format: TXT, LRC, PDF, HTML, HTM, EPUB etc.
- HDMI output, HDMI TX1.4
- Spiele: Angry Birds, Fruit Ninja, 3D games etc.
- Weitere Funktionen: Wörterbuch, Taschenrechner, Kalender und weitere Android-Applikationen
- Sprache: Mehrsprachunterstützung
- Unterstützte Betriebssysteme: ab Windows XP/Linux 2.4/MAC OS 10.4
- Batterie: Polymer Lithium Batterie, 3600 mAh
- USB Verbindung: Micro USB 2.0 High-Speed
- Flashspeicher: 8 GB (intern)
- Micro SD/SDHC Kartenspeicher: optional bis zu 32 GB (bei Nutzung von CnMemory® Karten)
- Maße: ca. 190 x 117,50 x 9 mm
- Gewicht: ca. 271 g
- Farbe: schwarz
- Standardzubehör: Ladegerät, Adapterkabel von Micro USB auf USB-A (Standard) zum Anschluss herkömmlicher USB Geräte an das Tablet PC (z.B. USB Stick), Bedienungsanleitung, Garantiekarte, Microfasertuch
- Art.Nr.: 24007
- EAN-Code: 4040348240078

# Tablet PC TP7-1500DC-metal



## English

- Display: 7 inch, G + G capacitive **5-point IPS** touch-screen
- Play method: button+ touch-screen
- Casing material: metal back shell
- Resolution: 1024 × 600 pixels;
- Chipset: RK3066
- Processor: ARM Cortex A9 Dual Core up to 1.5 GHz
- GPU: Mali400 Quad Core, Open GL/Open VG
- RAM: DDR III/LVDDR3/LPDDR/LPDDR2, 1GB
- Operating System, Android 4.1, supports Flash 11.1
- Camera: front: 0.3 mega pixels, back: 2 mega pixels
- Wi-Fi: built-in, 802.11 b/g/n
- Video format: MPEG-1,-2,-4, H.263, H.264, AVS, VC-1, RV, VP6/VP8, Sorenson Spark, MVC 1920 x 1080p 60FPS etc.
- Video encoding: H.264, VP8 and MVC (1080p)
- Audio format: MP1, MP2, MP3, WMA, WAV, OGG, OGA, APE, FLAC, AAC, M4A, 3GP with EQ function
- Photo format: JPG, JPEG, BMP, GIF, PNG, JFIF in 8176 x 8176 resolution maximum
- E-book format: TXT, LRC, PDF, HTML, HTM, EPUB etc.
- HDMI output, HDMI TX1.4
- Games: Angry Birds, Fruit Ninja, 3D games etc.
- Other functions: dictionary, calculator, calendar and other Android apks.
- Language: supports multi languages
- Supported computer system: from Windows XP/Linux 2.4/MAC OS 10.4
- Battery: polymer lithium battery 3600 mAh
- USB connection: micro USB 2.0 high speed
- Flash memory: 8 GB (internal)
- Micro SD/SDHC card slot: optional up to 32 GB (by using of CnMemory® cards)
- Dimension: ca. 190 x 117.50 x 9 mm
- Weight: ca. 271 g
- Colour: black
- Standard accessories: charger, adapter from micro USB to USB-A (standard) to connect conventionally devices to your tablet PC (e.g. USB Stick), user manual, warranty card, microfiber cloth
- Item No.: 24007
- EAN-Code: 4040348240078